data input from keyboard basically" to -a result of a process produced by a computer is made



from data input from a keyboard--;

```
# line 12, change "the" to --this embodiment, the--;
       line 13, after "data" (second occurrence) insert --is--;
       line 14, replace "is" with --being--;
       line 15, change "symbols" to --symbols, which--;
       line 16, after "from" insert --a--;
    ➤ line 20, change "form" to --from";
       line 21, change "another codes" to --other coding--;
       line 23, change "code" (second occurrence) to --codes--;

→ line 25, change "finally," to --and--;

    → line 27, change "as the same" to --similar to the first processing--;
   → line 27, delete "of first it";

→ line 28, before "scale" insert --a--;

       line 29, change "symbols has" to --symbols, which have--; and
       line 30, after "from" insert --a--.
Page 4, lines 3-4, after "And" insert --through--;
       line 6, after "are" insert --then--;
       line 10, change "store" to --be stored--;
       line 11, after "to" insert --be--;
```

Docket No. 1453.1001

Serial No. 09/377,827

```
line 11, change "code" to --codes--;

line 13, change "codes, finally," to --and--;

line 15, change "key-board" to --keyboard--;

line 16, delete "is";

line 17, change "correspond" to --corresponds--; and

line 17, delete "etc";
```

Page 5, line 30, to Page 6, lines 1-7, delete the entire paragraph and replace with:

"An example of a Japanese sentence, "ナ(na)イ(i)フ(fu)と(to)フ(fo)オ
(o)ー(-)ク(ku)つ(tu)か(ka)っ(tu)た(ta)と(to)き(ki)ス(su)プ(pu)ー(-)ン(n)で(de)
コ(ko)ー(-)と(hi)ー(-)ま(ma)ぜ(2e)る(ru)と(to)き(ki)ほ(ho)そ(so)め(me)の(no)へ
(pe)ン(n)で(de)て(te)が(ga)み(mi)か(ka)く(ku)と(to)き(ki)い(i)つ(tu)も(mo)わ
(wa)す(su)れ(re)て(te)い(i)た(ta)こ(ko)ゆ(yu)び(bi)", in which KATAKANA
and HIRAGANA characters are mixed, expressed as notes on a staff is shown
in FIG. 6." Further, an example of the same sentence written in Roman characters, NAIFU
TO FO-KU TSUKAUTOKISUPU-NNDE KO-HI-MAZERUTOKIHOSOMENOPENN DE
TEGAMIKAKUTOKI ITSUMO WASURETEITA KOYUBI", expressed as notes on a staff as shown in FIG. 7.



Docket No. 1453.1001

Serial No. 09/377,827

- Page 7, line 15, change "12" to --14--.
- Page 8, line 26, change "12" to --14--.
- Page 9, line 1, change "12" to --14--; and line 6, change "12" to --14--.

Page 10, line 5, change "the invention according to claim 1" to --an embodiment--; and line 22, change "to claims 2 to 5" to --additional embodiments--; and lines 22-23, delete ", in addition to the invention according to claim 1,--.

IN THE DRAWINGS:

In accordance with the concurrently filed Letter to the Examiner Requesting

Substitution and Changes to the Drawings, please substitute FIGS. 1-6 with the attached

corrected FIGS. 1-6, and correct FIGS. 7-11 as indicated in RED in the attached FIGS. 7-11.

IN THE ABSTRACT:

Please replace the Abstract with the attached replacement.